GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

PUBLIC SERVICES–Water Resources Department–Vigilance and Enforcement– Allegations of iirregularities in execution of works taken up under Neeru-Chettu Programme in West Godavari District – Disciplinary proceedings initiated against Sri N. Ajay Babu, the then Assistant Executive Engineer, Quality Control Section, Eluru, West Godavari District- Finalization of disciplinary proceedings by imposing a minor penalty of withholding of Two (2) Annual Grade Increments without cumulative effect - Orders-Issued - Reg.

---

WATER RESOURCES (VIG.II (V&E.A1)) DEPARTMENT

G.O.Rt.No.565 Dated:29.11.2021

Read the following:-

| | |
|---|---|
| 1 | From the Director General (Vig.&Enft.) &E.O.Prl.Secy.to Govt., G.A.D.Vigilance Report No.99(C.No.1386/V&E/E/2015), dated:12.10.2017. |
| 2 | G.O.Rt.No.419, Water Resources (Vig.II (V&E) Department, dated:08.06.2018. |
| 3 | Written Statement of Defence from Sri N. Ajay Babu, the then Assistant Executive Engineer, dated:01.08.2018. |
| 4 | G.O.Rt.No.869, Water Resources (Vig.II(V&E-2)) Department, Dated:12.12.2018. |
| 5 | From Sri J.Satyanarayana, I.P.S.(Retd), COI, GAD, and IA, D.O.Letter No.150/COI-JS/2018, dated:01.11.2019. |

>><<

O R D E R:-

In the reference 1st read above, the General Administration (Vigilance & Enforcement) Department have furnished their Vigilance Report on the allegations of irregularities in execution of works taken up under Neeru-Chettu Programme in West Godavari District.

2. In the reference 2nd read above, articles of charges were issued against Sri N. Ajay Babu, the then Assistant Executive Engineer, Quality Control Section, Eluru, West Godavari District for the allegations of irregularities in execution of works taken up under Neeru-Chettu Programme in West Godavari District and in the reference 3rd read above, the above said charged officer has submitted his written statement of defence and requested to exonerate from the charges and drop further action against them.

3. In the reference 4th read above, Sri J.Satyanarayana, I.P.S.(Retd), Commission of Inquiries, General Administration Department was appointed as Inquiring Authority to inquire into the charges framed against Sri N. Ajay Babu, the then Assistant Executive Engineer along with other charged officers for Allegations of in execution of works taken up under Neeru-Chettu Programme in West Godavari District.

4. In the reference 5th read above, Sri J.Satyanarayana, I.P.S.(Retd), COI, GAD and the Inquiring Authority submitted his inquiry report against Sri N. Ajay Babu, the then Assistant Executive Engineer along with other charged officers.

5. Government, after careful examination of the entire issue, hereby impose a penalty of withholding two annual grade increments without cumulative effect on Sri N. Ajay Babu, the then Assistant Executive Engineer under rule 9 of APCS (CC&A) Rules, 1991, for the allegations of irregularities in execution of works taken up under Neeru-Chettu Programme in West Godavari District.

6. The Engineer-in-Chief (Admn.Wing), Water Resources Department, Vijayawada shall take necessary action in the matter, accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNER OF ANDHRA PRADESH)

Dr. K.S. JAWAHAR REDDY, IAS
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri N. Ajay Babu, the then Assistant Executive Engineer, Quality Control Section, Eluru, West Godavari District ***through*** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada.
The Engineer-in-Chief (AW), Water Resources Department, AP, Vijayawada.
Copy to:-
The Secretary, AP Vigilance Commission, AP Secretariat, Velagapudi, Amaravati.
The Director General and Ex-Officio Principal Secretary to Government, the General Administration (Vigilance & Enforcement) Department, 2nd Floor, Dr.NTR Administrative Block, P.N.Bus Station, Vijayawada-520002, Krishna District.
The Accountant General, Andhra Pradesh, Hyderabad.
The Water Resources (Ser.I) Department.
SF / SC.

//FORWARDED BY ORDER//

SECTION OFFICER